


**PRICE LIST  
OF  
MARPLES  
TOOLS  
FOR  
MASONS  
BRICKLAYERS  
AND SLATERS**

**TRADE**



**MARK.**


---

ALL TOOLS SHOWN IN THIS  
CATALOGUE ARE OF  
BRITISH MANUFACTURE.

---



TRADE



MARK

HIBERNIA.

# WM. MARPLES & SONS, LIMITED.

INCORPORATING

THOMAS IBBOTSON & Co., and JOHN MOSELEY & SON,

HIBERNIA WORKS, SHEFFIELD,  
ENGLAND.

AND AT 44, UPPER THAMES STREET, LONDON, E.C. 4.

*buty 9864*

MANUFACTURERS OF THE CELEBRATED

## “SHAMROCK BRAND” TOOLS FOR ALL TRADES.

FIRST AWARD AND GOLD MEDAL

LONDON  
1851

PARIS  
1855

SYDNEY  
1879

MELBOURNE  
1880

CHRISTCHURCH  
1906


DUNEDIN  
1925

## A large, diamond-shaped metal tool, likely a trowel or float, with a wooden handle. The tool has a textured surface and the text "W. M. PILES &amp; SONS" is inscribed on it.


To	9	9½	10	10½	11	11½	12	12½	13	inches.
	3/7½	3/9	3/9	3/10½	4/-	4/1½	4/3	4/6	4/9	each.




4301 C.S. Brick Trowels, through-tanged and capped.									
To	9	9½	10	10½	11	11½	12	12½	13 inches.
	4/-	4/1½	4/1½	4/3	4/4½	4/6	4/7½	4/10½	5/1½ each.



<b>4310</b>	C.S. Pointing Trowels—	To	6	6½	7	7½	8 inches.
			2/-	2/3	2/6	2/7½	2/9 each.




**4310<sup>1</sup>/<sub>2</sub>** Narrow Pointing Trowels, Same Prices as No. 4310 above.




C.S. Gauging Trowels—	To	6	6½	7	7½	8	9	inches.
4312 Round Nose	}	2/6	2/7½	2/9	2/10½	3/-	3/9	each.
4312½ Pointed Nose								


## TROWELS.



4314 C.S. Daub Trowels, 8 inches ..... 4/- each.




4316 C.S. Margin Trowels, 5 to 6 ins. long  $\times$  2 to 3 ins. wide 3/3 each.




4318 C.S. Window Trowels, 6 ins. long  $\times$   $\frac{1}{2}$  to  $1\frac{1}{2}$  ins. wide 2/6 each.

## MASONS' JOINTERS.



4320



4324

### Masons' Bright C.S. Jointers—


	Width of Face	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	inch.
4320 Plain, 5 inches long .....		$1/10\frac{1}{2}$	$1/10\frac{1}{2}$	2/-	2/-	$2/11\frac{1}{2}$	each.
4321 Plain, $2\frac{1}{2}$ inches long .....		$1/9$	$1/9$	$1/10\frac{1}{2}$	$1/10\frac{1}{2}$	2/-	"
4322 Fluted, 5 inches long .....		2/6	2/6	$2/7\frac{1}{2}$	$2/7\frac{1}{2}$	2/9	"
4323 Fluted, $2\frac{1}{2}$ inches long .....		$2/4\frac{1}{2}$	$2/4\frac{1}{2}$	2/6	2/6	$2/7\frac{1}{2}$	"

### Masons' Improved Bright C.S. Jointers—

	Width of Face	$\frac{1}{8}$	$\frac{3}{16}$	$\frac{1}{4}$	$\frac{5}{16}$	$\frac{3}{8}$	inch.
4324 Plain, 5 inches long .....		$1/10\frac{1}{2}$	$1/10\frac{1}{2}$	2/-	2/-	$2/11\frac{1}{2}$	each.
4325 Plain, $2\frac{1}{2}$ inches long .....		$1/9$	$1/9$	$1/10\frac{1}{2}$	$1/10\frac{1}{2}$	2/-	"
4326 Fluted, 5 inches long .....		2/6	2/6	$2/7\frac{1}{2}$	$2/7\frac{1}{2}$	2/9	"
4327 Fluted, $2\frac{1}{2}$ inches long .....		$2/4\frac{1}{2}$	$2/4\frac{1}{2}$	2/6	2/6	$2/7\frac{1}{2}$	"




## TROWELS.



4365


4363	Plasterers' Single-Tang Trowels ...	$10\frac{1}{2} \times 4\frac{1}{2}$	$11 \times 4\frac{1}{2}$	inches. each.
		$5/7\frac{1}{2}$	$5/9$	
4365	Plasterers' Double-Tang Trowels ...	$11 \times 4\frac{1}{4}$	$11 \times 4\frac{1}{2}$	inches. each.
		$6/9$	$7/1\frac{1}{2}$	
4365½	Concreters' Double-Tang Trowels with Thick Blades and extra strong Tangs ...	$11 \times 4\frac{1}{2}$	$9/6$	each.

Full Catalogue of Marples' Tools for Plasterers may be had upon application.




4366 Cementers' Flooring Trowels or Floats

Length	14	16	18	20	inches.
	$11/6$	$13/6$	$15/-$	$16/6$	each.



4367 Cove Trowels


Width	$2\frac{1}{2}$	$2\frac{3}{4}$	3	$3\frac{1}{4}$	$3\frac{1}{2}$	$3\frac{3}{4}$	4	inches.
	$10/3$	$10/6$	$10/9$	$11/3$	$11/6$	$12/6$	$13/6$	each.




4368 Twitchers, or Angle Trowels :—

	$4 \times 2\frac{1}{2}$	$4 \times 3$	$4 \times 4$	inches.
	$4/9$	$5/-$	$5/9$	each.

## BRICK HAMMERS AND SCUTCHES.



4340



4340½


4340 Bricklayers' Hammers, Ash Handled No. 1—11 ins. No. 2—12½ ins.

3/9 each.

4/- each.

4340½ Bricklayers' Yankee-Pattern Hammers, All Bright,  
Short Head, 8 inches, Polished Ash Handled .....


4/- each.



4342

Double-Edge Scutch Hammers,  
14 inch Head, Ash Handled.

4/- each.



4346

4346 Improved Ash Scutches, complete with one blade ...

4/6 each.

4346½ Scutch Blades, 12 × 1½ inches, for above (spare) ...

1/3 each.

## MASONS' HAMMERS.




Masons' Solid Dressing Hammers—

Weight ...	2	2½	3	3½	4 lbs. each.
4101 Heads.....	1/10½	2/3	2/7½	3/-	3/6 each.
4101½ Handled...	2/6	2/10½	3/3	3/7½	4/1½ „
Above 4 lbs. each, 10½d. per lb.					Handling, 7½d. each.




Masons' Solid Steel Lump Hammers—

Weight ...	2	2½	3	3½	4 lbs. each.
4102 Heads.....	1/10½	2/3	2/7½	3/-	3/6 each.
4102½ Handled...	2/6	2/10½	3/3	3/7½	4/1½ „
Above 4 lbs. each, 10½d. per lb.					Handling, 7½d. each.



Masons' Solid Steel Walling Hammers—

Weight ...	2	2½	3	3½	4 lbs. each.
4105 Heads.....	1/10½	2/3	2/7½	3/-	3/6 each.
4105½ Handled...	2/6	2/10½	3/3	3/7½	4/1½ „
Above 4 lbs each, 10½d. per lb.					Handling 7½d. each.



- 4108 Masons' Improved Dressing Hammers, 4½ ins. × 1½ ins.  
with 3 loose Bits ... .. 10/6 each.
- 4109 Extra Bits for above Hammers ... .. 1/3 each.  
Handling (extra) 7½d. each.

## STONE PICKS.



- 4110 Solid Steel Stone Picks... .. 10½d. per lb.



**MASONS' CHISELS.**


4200	Mallet Head Chisels—	To $\frac{5}{8}$ inch.	$\frac{3}{4}$ inch and above.
		1/3 each.	1/3 per lb.



4209H	Hammer Head Chisels—	To $\frac{5}{8}$ inch.	$\frac{3}{4}$ inch and above.
		1/3 each.	1/3 per lb.



4202	Mallet Head Points	...	...	...	...	1/3 per lb.
4202H	Hammer Head Points	...	...	...	...	1/3 per lb.



4203H	Hammer Head Pitching Tools	...	...	...	1/8 per lb.
-------	----------------------------	-----	-----	-----	-------------

*Masons' Tools, patterns Nos. 4200 to 4203H for Granite,  
advance above prices by 6d. per lb.*




Patent Stone Dressing Tools—		$\frac{1}{2}$	1	$1\frac{1}{2}$	2	ins. wide.
4208A	Steel Handles (only).....	1/9	2/-	2/3	3/6	each.
Cutters (only)—						
4208B	Double Toothed.....	$1/1\frac{1}{2}$	1/6	2/3	3/-	dozen.
4208C	Single Toothed .....	1/-	1/3	1/9	2/3	„
4208D	Plain (no teeth) .....	9d.	1/-	1/3	1/9	„




4214	Sculptors' C.S. Mallet Head Chisels, assorted sizes	Carving or Lettering	...	...	...	1/6 each.
4215	Sculptors' C.S. Mallet Head Gouges, assorted sizes	Carving or Lettering	...	...	...	1/7 $\frac{1}{2}$ each.

*Lettering Chisels and Gouges for Granite,  
advance above prices 4 $\frac{1}{2}$ d. each.*


## BRICK BOLSTERS AND CLEANERS.



	Width	3	3½	4	4½	5	inches.
4220 Brick Bolsters—		2/4½	2/6	2/7½	2/9	3/-	each.



4221 Double-End Brick Cleaners, 5 inches	...	...	...	...	4/3	each.
--	-----	-----	-----	-----	-----	-------



4222 Brick Cleaning Axes, Double-Edge, with Strong Ash Handle	Weight	1¼	1½	lbs.
		3/9	4/3	each.

## MORTAR PICKS.



4347 Double-pointed Mortar Picks, 13 ins.	...	...	...	...	3/6	each.
4347½ As above, Ash Handled	...	...	...	...	4/-	„



**COLD CHISELS.****4910** Octagon Cast Steel Cold Chisels.

Length	6	7	8	9	10	12	14	16	18	24	inch.
$\frac{1}{2}$ inch ...	8 $\frac{1}{2}$ d.	9d.	9 $\frac{1}{2}$ d.	10 $\frac{1}{2}$ d.	11d.	1/-	1/1 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/4	—	each.
" ...	10d.	11d.	1/-	1/1	1/1 $\frac{1}{2}$	1/3 $\frac{1}{2}$	1/5	1/7	1/8 $\frac{1}{2}$	2/2	"
" ...	1/0 $\frac{1}{2}$	1/1 $\frac{1}{2}$	1/2 $\frac{1}{2}$	1/4	1/5	1/7	1/9 $\frac{1}{2}$	1/11 $\frac{1}{2}$	2/2	2/8 $\frac{1}{2}$	"
" ...	1/4	1/5	1/6 $\frac{1}{2}$	1/8	1/9	2/-	2/2 $\frac{1}{2}$	2/5 $\frac{1}{2}$	2/8	3/4 $\frac{1}{2}$	"
1 " ...	1/7	1/8 $\frac{1}{2}$	1/9 $\frac{1}{2}$	2/-	2/2	2/6 $\frac{1}{2}$	2/11	3/3 $\frac{1}{2}$	3/8	4/9 $\frac{1}{2}$	"

**WALL DRILLS.****6571** Hollow Wall Drills.

$9 \times \frac{3}{8}$	$9 \times \frac{1}{2}$	$10 \times \frac{5}{8}$	$12 \times \frac{3}{4}$	$12 \times \frac{7}{8}$	$12 \times 1$	$16 \times 1$	$18 \times 1$ inch.
1/9	1/10 $\frac{1}{2}$	2/3	3/3	3/9	4/3	5/-	5/6 each.

**6572** Star-Section Wall Drills.

$8 \times \frac{1}{2}$	$10 \times \frac{1}{2}$	$12 \times \frac{1}{2}$	$8 \times \frac{5}{8}$	$10 \times \frac{5}{8}$	$12 \times \frac{5}{8}$	$14 \times \frac{5}{8}$	$18 \times \frac{5}{8}$	$10 \times \frac{3}{4}$ inch.
1/0 $\frac{1}{2}$	1/2	1/3	1/3 $\frac{1}{2}$	1/5	1/7	1/9	2/1	1/10 $\frac{1}{2}$ each.
$12 \times \frac{3}{4}$	$14 \times \frac{3}{4}$	$18 \times \frac{3}{4}$	$12 \times \frac{7}{8}$	$14 \times \frac{7}{8}$	$18 \times \frac{7}{8}$	$12 \times 1$	$14 \times 1$	$18 \times 1$ inch.
2/1 $\frac{1}{2}$	2/3	2/9	3/-	3/3	3/9	3/9	4/-	5/- each.

**CROW BARS.**

Pinch Bars—**4180**  $\frac{3}{4}$  Plain End, 7d. per lb.      **4180 $\frac{1}{2}$**  Pointed End, 7d. per lb.



Crow Bars—**4181** Plain End, 7d. per lb.      **4181 $\frac{1}{2}$**  Pointed End, 7d. per lb.




Claw Bars—**4182** Plain End, 7d. per lb.      **4182 $\frac{1}{2}$**  Pointed End, 7d. per lb.

Dimensions of Crow Bars, Nos. 4180, 4181 and 4182—


Length .....	4 ft.	4 $\frac{1}{2}$ ft.	5 ft.	5 $\frac{1}{2}$ ft.	6 ft.	7 ft.	8 feet.
Square Part ...	1 in.	1 $\frac{1}{4}$ ins.	1 $\frac{1}{2}$ ins.	1 $\frac{3}{4}$ ins.	1 $\frac{1}{2}$ ins.	1 $\frac{1}{2}$ ins.	1 $\frac{1}{2}$ inches.
Round Part.....	$\frac{5}{8}$ ins.	$\frac{3}{4}$ in.	$\frac{3}{4}$ in.	$\frac{7}{8}$ in.	1 in.	1 $\frac{1}{4}$ ins.	1 $\frac{5}{16}$ inches.
Approx. Weight	10 lbs.	12 $\frac{1}{2}$ lbs.	18 $\frac{1}{2}$ lbs.	27 lbs.	35 lbs.	42 lbs.	50 lbs. each.

## MASONS' MALLET.




### 4240 Beechwood Mallets—

Diam. of Head	6	7	8	ins.
	6/-	7/6	9/-	each.




### 4241 Masons' White Metal Dummies, Cane Handled—

Weight of Head ...	2½	3	3½	4	lbs.
	5/9	6/9	7/9	8/9	each.



### 4242 Marble-Masons' Lettering Mallets, with Lignum Vitæ Head,

5½ ins. × 3 ins. ... 3/3 each.




## TRAMMEL HEADS.


### 4247 Brass Trammel Heads, with Pencil Holders.

Nos.	1	2	3	4	5
for Lath	$\frac{9}{16} \times \frac{1}{4}$	$\frac{11}{16} \times \frac{5}{16}$	$\frac{13}{16} \times \frac{7}{16}$	$1 \times \frac{1}{2}$	$1\frac{3}{8} \times \frac{5}{8}$ inch.
	3/9	4/6	5/6	6/9	10/6 pair.





## MASONS' TOOLS.



4246

4249


Masons' Depth Squares or Gauges—

	6	8	10	12	inches.
4246 Brass Head with Steel Blade ...	4/6	7/6	10/6	12/6	each.


Masons' Shift Stocks or Bevels—

		7½	9	12	inches.
4248 Bright Steel ... ..	...	4/3	4/9	5/3	each.
4249 Solid Brass ... ..	...	4/9	5/4½	6/6	„

## SCULPTORS' DRILLS.



- 4253 Sculptors' Drill Stocks, 12 inches long, Gun Metal Fittings, with 6 Drill Bits, 5½ ins. long, assorted ⅜ to ½ inch ... 31/6 each.
- 4253½ As above, with Extra Drill Socket and 6 smaller Drills, 3¼ ins. long, assorted ⅛ to ½ in. ... 40/6 each.
- 4254 Fiddle Drill Bows, to suit above ... 5/3 each.



4257


Masons' Drag Saws,  
8 inches wide, Fine,  
Medium or Coarse.  
1/3 each.



A



B



C



D

4258 Masons' Cocks' Combs, assorted patterns, A to D—9d. each.




## SQUARES.

4260 Bright Iron Squares, rule-marked on one side, Inches in 8ths.

18 × 12	24 × 12	inches.
3/-	3/6	each.

4261 Bright Iron Squares, rule-marked both sides, Inches in 8ths.

18 × 12	24 × 12	24 × 18	30 × 18	36 × 24	48 × 24	inches.
3/3	4/-	6/-	12/-	16/-	20/6	each.



4262 Galvanised Iron Squares, rule-marked both sides, Inches in 8ths


18 × 12	24 × 12	24 × 18	30 × 18	inches.
4/-	4/9	7/3	—	each.

4263 Bright Steel Squares, rule-marked both sides, Inches in 8ths

7/6	8/-	11/9	—	„
-----	-----	------	---	---

4264 Bright Steel Squares, rule-marked on four edges, Inches in 8ths, 12ths and 16ths

—	13/6	16/-	19/-	„
---	------	------	------	---



4268 Bright Iron Stocked Squares,  
Rule-marked Blade—

12	15	18	24	inches.
8/-	9/-	10/-	12/-	each.

## MEASURES.



4272 Bright Iron Measures,  $1\frac{1}{2}$  in. wide ×  $\frac{1}{8}$  in. thick, rule marked both sides, inches in 8ths—

24	36	48	60	72	inches.
2/9	4/-	5/6	10/-	12/-	each.



## LINE PINS AND LINES.




Bricklayers' Malleable Iron Line Pins—

4330 Jappened ... 6d. pair. 4331 Bright ... 9d. pair.



Bricklayers' Best Wrought Steel Line Pins—

4335 Half-Bright ... 1/1½ pair. 4336 Bright ... 1/3 pair.



7747 Hard Cotton Chalk Lines, 60 ft. ... 4½d. each.

7750 Hemp Chalk Lines, 60 ft. ... 6d. each.

## PLUMB BOARDS AND PLUMB BOBS.



4276 Wood Plumb Boards, with Plumb-bob Hole

4	4½	5 feet.
3/3	3/6	3/9 each.



4280



4282

	1	1¼	1½	1¾	2	2¼	2½	2¾	3 lbs.
4280 Lead Plumb Bobs ...	1/3	1/6	1/9	2/1½	2/4½	2/7½	2/10½	3/1½	3/4½ ea.
4282 Improved Iron ditto.	2/6	3/-	3/6	4/-	5/3	—	—	—	— ea.

## SPIRIT LEVELS.



- 2335 Best Mahogany Plumb Levels, } 24 30 36 42 48 inches.  
Brass Tipped, Single Plumb ... } 8/- 8/6 9/- 10/- 11/- each.




- 2336 Best Mahogany Plumb Levels, } 24 30 36 42 48 inches.  
Brass Tipped, Double Plumb } 9/- 9/6 10/- 11/- 12/- each.




- 2270 Walnut Spirit Levels, with } 4 6 8 9 10 12 inches.  
Light Plates ... } 1/- 1/3 1/6 1/9 2/- 2/3 each.



- 2327 Boxwood Rule-marked Spirit } 6 8 9 10 12 inches.  
Levels, with Plumb ... } 2/2 2/4 2/6 2/9 3/- each.



- 2328 Masons' Best Boxwood Rule-marked Spirit } 8 9 10 12 inches.  
Levels, with Plumb, Brass Tipped, Plated } 3/7 3/11 4/3 4/8 each.




- 2329 Builders' or Road-makers Adjustable Spirit Level, 7½ inches,  
for fitting to Wood Straight Edge ... 4/- each.





## SCAFFOLD HAMMERS AND PAVIORS' TOOLS.

### Scaffolding Hammers.



- 4350 Scaffolding Hammers, 2lbs, with  
Claw, Ash Handled ... 5/- each.

### Paviors' Hammers.




- 4349 Paviors' Hammers, Ash Handled—

Weight of Head	2½	3	3½	lbs.
	5/6	6/6	7/6	each.

- 4172 Paviors' Elm Monkeys, 48 inches × 8 inches  
approx. weight 75 to 80 lbs. each.

4172



- 4170 Paviors' Elm Beetles, with Head  
14 inches × 10 inches, approximate  
weight 40 lbs. each ... 30/- each.


## PICKS AND SHOVELS.



Solid Eye Navy Picks, Well Steeled, Oval Eye—


			Weight	4 lbs.	5 lbs.	6 lbs.	each.
7783	Two Points	...	...	2/-	2/3	2/6	each.
7784	Point and Chisel	...	...	2/-	2/3	2/6	"

Above 6 lbs. weight each, 5d. per lb.

*Best American Hickory Shafts for Picks 2/- each.*


7771 London Shovels, D Handle

No.	0	1	2	3	4	
Size	$11\frac{1}{2} \times 9$	$12 \times 9\frac{1}{2}$	$12\frac{1}{2} \times 10$	$13 \times 10\frac{1}{2}$	$13\frac{1}{2} \times 11$	inches.
	$4/10\frac{1}{2}$	5/-	5/3	5/6	$5/10\frac{1}{2}$	each.



7774 Open Socket Shovels, Crutch Handle


No.	1	2	3	4	
Size	$12 \times 9\frac{1}{2}$	$12\frac{1}{2} \times 10$	$13 \times 10\frac{1}{2}$	$13\frac{1}{2} \times 11$	inches.
	$2/4\frac{1}{2}$	2/6	$2/7\frac{1}{2}$	2/9	each.




7775 Gravel or Navy Shovels, Crutch Handle

No.	2	3	4	
Size	$12\frac{1}{2} \times 10\frac{1}{2}$	$13 \times 11$	$13\frac{1}{2} \times 11\frac{1}{2}$	inches.
	5/3	5/6	5/9	each.

## MORTAR LARRIES and HOD SOCKETS.



4351





4352

4351	Socket Mortar Larries, 9 $\frac{1}{2}$ inches wide	...	...	...	3/3 each.
4351 $\frac{1}{2}$	As above, complete with 6 ft. Ash shaft	...	...	...	5/9 "
4352	Wrought Iron Hod Sockets with 8 inch arms	...	...	...	2/6 "

## EARTH RAMMERS.


Cast Iron.



7888	Round Earth Rammers, about 12 lbs. weight each	...	...	4/- each.
7889	Square Earth Rammers, about 9 lbs. weight each	...	...	3/- "

*Handling Rammers with 4 $\frac{1}{2}$  ft. Ash Shafts (extra) 2/6 each.*


## CONCRETERS' WRECKING BARS.



4355 $\frac{1}{2}$	Octagon Cast Steel Wrecking Bars	18 $\times$ $\frac{5}{8}$ inch octagon.	24 $\times$ $\frac{3}{4}$ inch octagon.
		2/7 $\frac{1}{2}$	3/- each.




## SLATERS' TOOLS.




4380

Slaters' C.S. Trowels—

					6	6½	7 inches.
4380	Rivetted Through-Tang	...	...	..	3/4½	3/6	3/9 each.
4381	Double-Ferruled	...	...	...	4/4½	4/6	4/9 „




					Length of Blade		
					24	27	30 inches.
4387	Slaters' Rippers	...	...	...	4/6	5/-	5/6 each.



Slaters' Saxs or Knives, with Pick—


					Size of Blade		
					9 × 2¼	10 × 2½	inches.
4393	Right Hand, as illustrated	...	...	...	5/3	6/-	each.
4393½	Left Hand (opposite crank)	...	...	...	5/3	6/-	„




Slaters' Dressing Irons, or Rests—

					9	10	12	14 inches.
4399	As illustrated	...	...	...	2/4½	2/6	2/9	3/- each.
4399½	Single Tang	...	...	...	2/4½	2/6	2/9	3/- „


## SLATERS' HAMMERS.



4395 Slaters' Eyed Pick Hammers,  
London-Pattern (without claw),  
Handled ... 3/9 each.




4396 Slaters' Eyed Pick Hammers  
with Claw, Handled 5/6 each.




4397, Slaters' Strapped Pick Hammers  
with Claw, Handled 6/- each.

## SLATE BORING MACHINES.



- 4390** Slate Boring Machines, complete with Guides, Punch, and Die. Will either clamp on a plank as illustrated, or can be bolted on bench    ..    ...    ...    ...    ...    63/- each.

## TILE CUTTING MACHINES.



- 4354** Tile-Cutting Machines, for reducing Glazed Tiles, Floor Tiles or Roofing Tiles to size and shape required, leaving a clean edge on the face of the tile    ..    ...    ...    ...    37/6 each.
- 4354½** Cutters only (spare)    ..    ...    ...    ...    ...    5/- pair.



---


SEPARATE CATALOGUES OF  
**MARPLES' TOOLS for PLASTERERS**  
**MARPLES' TOOLS for PLUMBERS**  
**MARPLES' TOOLS for PAINTERS**

MAY BE HAD ON APPLICATION.

---

**PRICE LIST  
OF  
MARPLES  
TOOLS  
FOR  
MASONS  
BRICKLAYERS  
AND SLATERS**

**TRADE**



**MARK.**